

SAFETY DATA SHEET

Issue Date 26-Jun-2018

Revision Date 26-Jun-2018

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

HYPAR FG-15

340279

None

Other means of identification Product code: Synonyms

Recommended use of the chemical and restrictions on useRecommended UseLubricant.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address Klüber Lubrication NA LP 9010 County Road 2120 Tyler, Texas 75707 Phone: (903) 534-8021

Emergency telephone number Emergency Telephone

CHEMTREC: 1-800-424-9300; INTERNATIONAL: (703) 527-3887

2. HAZARD IDENTIFICATION

Classification

Fax: (903) 581-4376

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS 2015 Regulatory Status

This chemical is considered hazardous by the Canadian Hazardous Products Regulations (WHMIS 2015).

Aspiration toxicity Category 1


Label Elements

EMERGENCY OVERVIEW

Signal word Danger

Hazard statements May be fatal if swallowed and enters airways





3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This material is considered hazardous by the Canadian Hazardous Products Regulation (WHMIS 2015).

Components	CAS-No	Weight %	Trade Secret
Oil, Technical White Mineral	8042-47-5	80 - 100%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact:	Flush eye with water for 15 minutes. If symptoms persist, call a physician.	
Skin contact:	Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.	
Inhalation:	In the case of inhalation of aerosol/mist consult a physician if necessary. Move to fresh air.	
Ingestion:	Drink 1 or 2 glasses of water. Do not induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician immediately.	
Most important symptoms and effects, both acute and delayed		

Symptoms: No information available.

No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire <u>Specific hazards arising from the chemical</u> Keep product and empty container away from heat and sources of ignition. Water may be used to cool closed containers.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus. Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions:	Contaminated surfaces will be extremely slippery. Use personal protective equipment. Remove all sources of ignition.
Environmental precautions	
Environmental precautions:	Do not flush into surface water or sanitary sewer system.
Methods and material for containment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up:	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingSpilling onto the container's outside will make container slippery. Avoid contact with eyes
and skin. Always replace cap after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers dry and tightly closed to avoid moisture absorption and contamination

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Contains mineral oil, vegetable oil, and/or synthetic oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg/m³, ACGIH STEL of 10 mg/m³.

Components	ACGIH TLV	OSHA (TWA mg/m ³):	IDLH:
Oil, Technical White Mineral - 8042-47-5	5 mg/m 3 (oil mist)	5 mg/m ³ (oil mist)	

Appropriate engineering controls

Engineering measures to reduce Ensure adequate ventilation, especially in confined areas. **exposure:**

Individual protection measures, such as personal protective equipment

Respiratory protection: Breathing apparatus needed only when aerosol or mist is formed.





Hand protection: Eye protection: Skin and body protection:	Nitrile rubber Safety glasses Usual safety precautions while handling the product will provide adequate protection against this potential effect
General Hygiene Considerations	Avoid contact with skin, eyes and clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance (•	Odor Mild Hydrocarbon-like	Color Light ye	llow	Odor threshold No information available
<u>Property</u> Melting point/freezing point	<u>Values</u> No information available	Remarks • Method	pH Boiling point / boiling range	Not applicable No information available	
Flash point Flash point Flammability (solid, gas) Upper flammability limit: Vapor pressure Specific Gravity Solubility in other solvents Autoignition temperature Kinematic viscosity Explosive prop Oxidizing prop	400 °F No information available No information available < 0.9 No information available No information available No information available approx. 15.4 cSt @ 40 ° C	Cleveland Open Cup No information available No information available	Water solubility Partition coefficient	No information available No information available No information available Insoluble in water No information available No information available No information available	
Other information Softening poir Molecular weig VOC Content Density Bulk density	nt ght	No information available No information available No information available No information available No information available			

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical stability

Stability Possibility of Hazardous Reactions	Stable under recommended storage conditions
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.



Conditions to avoid

Conditions to avoid Hazardous Decomposition Products	No special storage conditions required
Hazardous Decomposition Products Incompatible materials	Thermal decomposition can lead to release of irritating gases and vapors
Incompatible materials	Oxidising agents

Oxidising agents

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information
Eye contact	May cause slight irritation.
Skin contact	Substance may cause slight skin irritation.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Oil, Technical White Mineral - 8042-47-5	> 5000 mg/kg (Rat)	-	= 2062 ppm (Rat) 4 h

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Mutagenic effects: Carcinogenicity	No sensitization responses were observed. Did not show mutagenic or teratogenic effects in animal experiments. This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
STOT - Single Exposure	None under normal use conditions.
STOT - Repeated Exposure	None under normal use conditions.
Aspiration hazard	May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5086 mg/kg ATEmix (dermal) 2034 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

No known hazards to the aquatic environment.

0.00099% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Oil, Technical White Mineral - 8042-47-5	
Algae/aquatic plants -	
Fish	10000: 96 h Lepomis macrochirus mg/L LC50



Crustacea	- ·

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

The product is insoluble and floats on water.

Components	Partition coefficient
Oil, Technical White Mineral - 8042-47-5	>6

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT	Not Regulated by any means of transportation
TDG	Not Regulated
IATA-DGR	Not Regulated
IMO / IMDG	Not Regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA:	Listed in TSCA
DSL:	All of the components in this product are listed in DSL
EINECS/ELINCS	This product complies with EINECS/ELINCS
CHINA:	This product complies with China IECSC.
KECL:	This product complies with Korea KECL.
PICCS:	This product complies with Philippines PICCS.
AICS:	All the constituents of this material are listed on the Australian AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances



KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

Canada HPR Statement

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations (WHMIS 2015).

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

State Regulations (RTK)

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Components	NJRTK:	MARTK:	PARTK:
Oil, Technical White Mineral - 8042-47-5	Substance no. 1437 Listed.	Listed	Listed
	Substance no. 4004 Listed.		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA: Health: 1 Flammability: 1 Instability 0 NFPA/HMIS * for Carc, Muta, Tera, Specific Organ * HMIS health rating: Health: 2 Flammability: 1 Physical hazards 0 Personal protection B

Issue Date	26-Jun-2018
Revision Date	26-Jun-2018

Revision Note Not applicable Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

